Contents

Albus K, Wahle P, Lübke J, Matute C: The contribution of GABA-ergic neurons to horizontal intrinsic connections in upper layers of the cat's striate cortex 235
Alloway KD, Burton H: Differential effects of GABA and bicuculline on rapidly- and slowly-adapting neurons in primary somatosensory cortex of primates 598
Aloisio A → Vella N
Anastasopoulos D, Mergner Th, Becker W, Deecke L: Sensitivity of external cuneate neurons to neck rotation in three-dimensional space 565
Apicella P, Ljungberg T, Scarnati E, Schultz W: Responses to reward in monkey dorsal and ventral striatum 491

Babb TL → Wilson CL
Bear MF → Reynolds IJ
Beart PM → Cincotta M
Becker W → Anastasopoulos D
Becker W → Mergner T
Bennett-Clarke CA, Mooney RD, Chiaia NL, Rhoades RW: Serotonin immunoreactive neurons are present in the superficial layers of the hamster's, but not the rat's, superior colliculus 587
Berthoz A → Pozzo T
Berthoz A → Ron S
Bicknell RJ → Dyer RG
Bragin A, Takács J, Vinogradova O, Zhuravleva Z, Hámori J: Number of GABA-immunopositive and GABA-immunonegative neurons in various types of neocortical transplants 114
Breunig A → Teasdale N
Bronstein AM, Gresty MA: Compensatory eye movements in the presence of conflicting canal and otolith signals 697
Buchanan JJ → Kelso JAS
Burton H → Alloway KD

Calancie B: Interlimb reflexes following cervical spinal cord injury in man 458
Caravaglios G → Vella N
Cespuglio R → Houdouin F
Chanaud CM, Macpherson JM: Functionally complex muscles of the cat hindlimb. III. Differential activation within biceps femoris during postural perturbations 271
Chanaud CM, Pratt CA, Loeb GE: Functionally complex muscles of the cat hindlimb. II. Mechanical and architectural heterogeneity within the biceps femoris 257
Chanaud CM, Pratt CA, Loeb GE: Functionally complex muscles of the cat hindlimb. V. The roles of histochemical fiber-type regionalization and mechanical heterogeneity in differential muscle activation 300
Chanaud CM → Pratt CA
Charlton HM → Honey CR
Chavkin C → Connor MA
Chen S-S → Chen T-J
Chen T-J, Chen S-S: Generator study of brainstem auditory evoked potentials by a radiofrequency lesion method in rats 537
Chiaia NL → Bennett-Clarke CA
Cincotta M, Young NA, Beart PM: Unilateral up-regulation of glutamate receptors in limbic regions of amygdaloid-kindled rats 650
Collewijn H → Tan HS
Collier TJ → Taylor JR
Conforti N → Feldman S
Connor MA, Chavkin C: Focal stimulation of specific pathways in the rat hippocampus causes a reduction in radioligand binding to the haloperidol-sensitive sigma receptor 528
Craig AD, Dostrovsky JO: Thermoreceptive lamina I trigeminothalamic neurons project to the nucleus submedius in the cat 470
Crandall PH → Wilson CL
Crepel F → Hirsch JC
Curthoys IS, Dai MJ, Halmagyi GM: Human ocular torsional position before and after unilateral vestibular neurectomy 218

Dai MJ → Curthoys IS
Darling WG, Gilchrist L: Is there a preferred coordinate system for perception of hand orientation in three-dimensional space? 405
De Vlieger TA → Werkman TR
Deecke L → Anastasopoulos D
Dostrovsky JO → Craig AD
Dreher B → Sanderson KJ
Drews H → Ruegg DG
Droge MH → Hernandez P
Dunnett SB → Liu F-C
Dyer RG, Parvizi N, Hollingsworth S, Mansfield S, Heavens RP, Bicknell RJ, Sirinathsinghji DJS: Opioid binding in the rostral hypothalamus is reduced following lesion of the ventral noradrenergic tract in female rats 230

Ebner TJ → Ojakangas CL
Elbert K → Hernandez P
Eliasson AC → Forssberg H
Elsworth JD → Taylor JR
Engel J Jr → Wilson CL
Enriquez M → Jiménez I
Enriquez M → Rudomin P
Erkelens CJ → Frens MA

Farb CR → LeDoux JE
Feldman S, Weidenfeld J, Conforti N, Saphier D: Differential recovery of adrenocortical responses to neural stimuli following administration of 5,7-dihydroxytryptamine into the hypothalamus 144
Ferraro G → Vella N
Forssberg H, Eliasson AC, Kinoshita H, Johansson RS, Westling G: Development of human precision grip I: basic coordination of force 451
Forssberg H → Gordon AM
Frens MA, Erkelens CJ: Coordination of hand movements and saccades: evidence for a common and a separate pathway 682
Fukushima J → Fukushima K
Fukushima K, Fukushima J: Activity of eye movement-related neurons in and near the interstitial nucleus of Cajal during sinusoidal vertical linear acceleration and optokinetic stimuli 45
Fukushima K, Fukushima J: Otolith-visual interaction in the control of eye movement produced by sinusoidal vertical linear acceleration in alert cats 36
Funk GD → Sholomenko GN

Gayer N → Sanderson KJ
Gerlach I, Thier P, Koehler W: Visual and vestibular signals in the lateral mesencephalic tegmental region of the cat 641
Gerling J → Niemann J
Gharib A → Houdouin F
Ghez C → Martin JH
Gilchrist L → Darling WG
Gordon AM, Forssberg H, Johansson RS, Westling G: Integration of sensory information during the programming of precision grip: comments on the contributions of size cues 226
Graybiel AM → Liu F-C
Graybiel AM → Ma TP
Gresty MA → Bronstein AM

Halmagyi GM → Curthoys IS
Hammond P, Pomfrett CJD: Interocular mismatch in spatial frequency and directionality characteristics of striate cortical neurones 631
Hámori J → Bragin A
Hardy O, Mirenowicz J: Transient increase of contraversive saccade parameters following kainic acid injection in the periparabigeminal area of guinea pig 616
Heavens RP → Dyer RG
Hernandez P, Elbert K, Droge MH: Spontaneous and NMDA evoked motor rhythms in the neonatal mouse spinal cord: an in vitro study with comparisons to in situ activity 66
Hirsch JC, Crepel F: Blockade of NMDA receptors unmasks a long-term depression in synaptic efficacy in rat prefrontal neurons in vitro 621
Hollingsworth S → Dyer RG
Honey CR, Charlton HM, Wood KJ: Rat brain xenografts reverse hypogonadism in mice immunosuppressed with anti-CD4 monoclonal antibody 149
Hosoya Y, Sugiura Y, Okado N, Loewy AD, Kohno K: Descending input from

the hypothalamic paraventricular nucleus to sympathetic preganglionic neurons in the rat 10
Houdouin F, Cespuglio R, Gharib A, Sarda N, Jouvet M: Detection of the release of 5-hydroxyindole compounds in the hypothalamus and the n. raphe dorsalis throughout the sleep-waking cycle and during stressful situations in the rat: a polygraphic and voltammetric approach 153
Howard IP, Zacher JE: Human cyclovergence as a function of stimulus frequency and amplitude 445

Inglis JT → Thomson DB
Isokawa M → Wilson CL
Itoh K → Yasui Y

Jiménez I, Rudomin P, Enriquez M: Differential effects of (−)-baclofen on Ia and descending monosynaptic EPSPs 103
Jiménez I → Rudomin P
Johansson RS → Forssberg H
Johansson RS → Gordon AM
Jones EG → Liu X-B
Jouvet M → Houdouin F
Jung R → Niemann J

Kaneko T → Yasui Y
Kelso JAS, Buchanan JJ, Wallace SA: Order parameters for the neural organization of single, multijoint limb movement patterns 432
Kinoshita H → Forssberg H
Koehler W → Gerlach I
Kohno K → Hosoya Y
Köhr G, Lambert CE, Mody I: Calbindin-D_{28K} (CaBP) levels and calcium currents in acutely dissociated epileptic neurons 543
Kossut M, Singer W: The effect of short periods of monocular deprivation on excitatory transmission in the striate cortex of kittens: a current source density analysis 519
Kow L-M → Ogawa S

La Grutta V → Vella N
Lambert CE → Köhr G
Landwehrmeyer B → Niemann J
LeDoux JE, Farb CR, Milner TA: Ultrastructure and synaptic associations of auditory thalamo-amygdala projections in the rat 577
Lees GJ, Sandberg M: Evoked field potential changes in the rat hippocampus produced by toxic doses of glutamate agonists and metabolic inhibitors: correlation with subsequent neuronal death 625
Lefort L → Pozzo T
Leranth C, Ribak CE: Calcium-binding proteins are concentrated in the CA2 field of the monkey hippocampus: a possible key to this region's resistance to epileptic damage 129
Levesque MF → Wilson CL
Liu F-C, Dunnett SB, Robertson HA, Graybiel AM: Intrastriatal grafts derived from fetal striatal primordia. III. Induction of modular patterns of Fos-like immunoreactivity by cocaine 501
Liu X-B, Jones EG: The fine structure of serotonin and tyrosine hydroxylase immunoreactive terminals in the ventral posterior thalamic nucleus of cat and monkey 507
Ljungberg T → Apicella P
Loeb GE → Chanaud CM
Loeb GE → Pratt CA
Loewy AD → Hosoya Y
Lübke J → Albus K

Ma TP, Graybiel AM, Wurtz RH: Location of saccade-related neurons in the macaque superior colliculus 21
Macpherson JM → Chanaud CM
Macpherson JM → Thomson DB
Mansfield S → Dyer RG
Marlier L, Poulat P, Rajaofetra N, Privat A: Modifications of serotonin-, substance P- and calcitonin gene-related peptide-like immunoreactivities in the dorsal horn of the spinal cord of arthritic rats: a quantitative immunocytochemical study 482
Martin JH, Ghez C: Task-related coding of stimulus and response in cat red nucleus 373
Matute C → Albus K
McEwen BS → Pavlides C
Meeuwsen HJ → Teasdale N
Mergner T, Siebold C, Schweigart G, Becker W: Human perception of horizontal trunk and head rotation in space during vestibular and neck stimulation 389
Mergner Th → Anastasopoulos D
Milner TA → LeDoux JE
Minnen J van → Werkman TR
Mirenowicz J → Hardy O
Mizuno N → Yasui Y
Mody I → Köhr G
Mooney RD → Bennett-Clarke CA

Niemann J, Winker T, Gerling J, Landwehrmeyer B, Jung R: Changes of slow cortical negative DC-potentials during the acquisition of a complex finger motor task 417
Nitsch C → Scotti AL
Nyborg H → Pavlides C

Ogawa S, Kow L-M, Pfaff DW: Effects of GABA and related agents on the electrical activity of hypothalamic ventromedial nucleus neurons in vitro 85
Ojakangas CL, Ebner TJ: Scaling of the metrics of visually-guided arm movements during motor learning in primates 314
Okado N → Hosoya Y
Okoyama S: Anatomical plasticity of the tectospinal tract after unilateral lesion of the superior colliculus in the neonatal rat 552
Olson L → Stieg P

Parvizi N → Dyer RG
Pavlides C, Westlind-Danielsson AI, Nyborg H, McEwen BS: Neonatal hyperthyroidism disrupts hippocampal LTP and spatial learning 559
Pfaff DW → Ogawa S
Pomfrett CJD → Hammond P
Poulat P → Marlier L
Pozzo T, Berthoz A, Lefort L, Vitte E: Head stabilization during various locomotor tasks in humans. II. Patients with bilateral peripheral vestibular deficits 208
Pratt CA, Loeb GE: Functionally complex muscles of the cat hindlimb. I. Patterns of activation across sartorius 243
Pratt CA, Chanaud CM, Loeb GE: Functionally complex muscles of the cat hindlimb. IV. Intramuscular distribution of movement command signals and cutaneous reflexes in broad, bifunctional thigh muscles 281
Pratt CA → Chanaud CM
Privat A → Marlier L

Rajaofetra N → Marlier L
Rawlins JNP → Tonkiss J
Redmond DE Jr → Taylor JR
Reynolds IJ, Bear MF: Effects of age and visual experience on [^{3}H] MK801 binding to NMDA receptors in the kitten visual cortex 611
Rhoades RW → Bennett-Clarke CA
Ribak CE → Leranth C
Robertson HA → Liu F-C
Roll JP → Roll R
Roll R, Velay JL, Roll JP: Eye and neck proprioceptive messages contribute to the spatial coding of retinal input in visually oriented activities 423
Ron S, Berthoz A: Eye and head coupled and dissociated movements during orientation to a double step visual target displacement 196
Roth RH → Taylor JR
Rudomin P, Jiménez I, Enriquez M: Effects of stimulation of group I afferents from flexor muscles on heterosynaptic facilitation of monosynaptic reflexes produced by Ia and descending inputs: a test for presynaptic inhibition 93
Rudomin P → Jiménez I
Ruegg DG, Drews H: Influence of different properties of a reaction time task on the pre-movement gating of input from Ia afferents to motoneurons 188

Sabatino M → Vella N
Sandberg M → Lees GJ
Sanderson KJ, Dreher B, Gayer N: Prosencephalic connections of striate and extrastriate areas of rat visual cortex 324
Saphier D: Paraventricular nucleus magnocellular neuronal responses following electrical stimulation of the midbrain dorsal raphe 359
Saphier D → Feldman S
Sarda N → Houdouin F
Scarnati E → Apicella P
Schor RH → Thomson DB
Schultz W → Apicella P
Schweigart G → Mergner T

Scotti AL, Nitsch C: The perforant path in the seizure sensitive gerbil contains the CA^{2+}-binding protein parvalbumin 137
Serrien DJ → Swinnen SP
Shigemoto R → Yasui Y
Sholomenko GN, Funk GD, Steeves JD: Avian locomotion activated by brainstem infusion of neurotransmitter agonists and antagonists. I. Acetylcholine, exitatory amino acids and substance P 659
Sholomenko GN, Funk GD, Steeves JD: Avian locomation activated by brainstem infusion of neurotransmitter agonists and antagonists. II. γ-aminobutyric acid 674
Siebold C → Mergner T
Singer W → Kossut M
Sirinathsinghji DJS → Dyer RG
Sladek JR Jr → Taylor JR
Steeves JD → Sholomenko GN
Steinbusch HWM → Werkman TR
Stelmach GE → Teasdale N
Stieg P, Strömberg I, Olson L: Effects of donor age on superior cervical ganglion transplants: evaluation by Falck-Hillarp histochemistry and immunocytochemistry 55
Stoof JC → Werkman TR
Strömberg I → Stieg P
Sugiura Y → Hosoya Y
Swinnen SP, Young DE, Walter CB, Serrien DJ: Control of asymmetrical bimanual movements 163

Takács J → Bragin A
Tan HS, Collewijn H: Cholinergic modulation of optokinetic and vestibulo-ocular responses: a study with microinjections in the flocculus of the rabbit 475
Taylor JR, Elsworth JD, Roth RH, Sladek JR Jr, Collier TJ, Redmond DE Jr: Grafting of fetal substantia nigra to striatum reverses behavioral deficits induced by MPTP in primates: a comparison with other types of grafts as controls 335
Teasdale N, Stelmach GE, Breunig A, Meeuwsen HJ: Age differences in visual sensory integration 691
Thier P → Gerlach I
Thomson DB, Inglis JT, Schor RH, Macpherson JM: Bilateral labyrinthectomy in the cat: motor behaviour and quiet stance parameters 364
Tonkiss J, Rawlins JNP: The competitive NMDA antagonist AP5, but not the non-competitive antagonist MK801, induces a delay-related impairment in spatial working memory in rats 349

Velay JL → Roll R
Vella N, Ferraro G, Caravaglios G, Aloisio A, Sabatino M, La Grutta V: A feature of caudate control of focal hippocampal epilepsy: evidence for an anterograde pathway 240
Vinogradova O → Bragin A
Vitte E → Pozzo T
Voorn P → Werkman TR

Wahle P → Albus K
Wallace SA → Kelso JAS
Walter CB → Swinnen SP
Weidenfeld J → Feldman S
Werkman TR, Minnen J van, Voorn P, Steinbusch HWM, Westerink BHC, De Vlieger TA, Stoof JC: Localization of dopamine and its relation to the growth hormone producing cells in the central nervous system of the snail *Lymnaea stagnalis* 1
Westerink BHC → Werkman TR
Westlind-Danielsson AI → Pavlides C
Westling G → Forssberg H
Westling G → Gordon AM
Wilson CL, Isokawa M, Babb TL, Crandall PH, Levesque MF, Engel J Jr: Functional connections in the human temporal lobe. II. Evidence for a loss of functional linkage between contralateral limbic structures 174
Winker T → Niemann J
Wood KJ → Honey CR
Wurtz RH → Ma TP

Yasui Y, Itoh K, Kaneko T, Shigemoto R, Mizuno N: Topographical projections from the cerebral cortex to the nucleus of the solitary tract in the cat 75
Young DE → Swinnen SP
Young NA → Cincotta M

Zacher JE → Howard IP
Zhuravleva Z → Bragin A